

56 Brewing

3055 NE Columbia Ave Suite 102
Minneapolis, MN 55418
zak@56brewing.com
(612) 720-0941

Sample: 2401AIT0004.0005

Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 01/02/2024; Report Created: 01/08/2024

Acre-26 HB

Ingestible, Beverage



0.003%
9.2 mg/container
4.6 mg/serving
Total THC

0.003%
9.5 mg/container
4.8 mg/serving
Total CBD

0.006%
19.8 mg/container
9.9 mg/serving
Total Cannabinoids

Cannabinoids

Date Tested: 01/03/2024

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBD	0.003	0.027	0.027	4.770	0.000
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBG	0.000	0.003	0.003	0.540	0.000
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.000
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.000
Δ9-THC	0.003	0.026	0.026	4.584	0.000
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.000

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

Pass
Microbials

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com



John Schmidt

John Schmidt
Analytical Chemist



Confident Cannabis
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

56 Brewing

3055 NE Columbia Ave Suite 102
Minneapolis, MN 55418
zak@56brewing.com
(612) 720-0941

Sample: 2401AIT0004.0005

Strain: n/a
Batch#: ; Batch Size: g
Sample Received: 01/02/2024; Report Created: 01/08/2024

Acre-26 HB

Ingestible, Beverage



Microbials

Pass

Date Tested: 01/08/2024

Analyte	Limit	Units	Status
Aerobic Bacteria	1	CFU/g	NT
Bile-Tolerant Gram-Negative Bacteria	1	NR	NT
Coliforms	1	NR	NT
E. Coli	1	Not Detected	Not Present
Salmonella	1	Not Detected	Not Present
Yeast & Mold	1000	<LOQ	Not Present

Method: qPCR



John Schmidt

Analytical Chemist