

## 56 Brewing

3055 NE Columbia Ave Suite 102  
Minneapolis, MN 55418  
zak@56brewing.com  
(612) 720-0941

Sample: 2401AIT0004.0006

Strain: n/a  
Batch#: ; Batch Size: g  
Sample Received: 01/02/2024; Report Created: 01/08/2024

## Acre-25 PWT

Ingestible, Beverage



**0.003%**  
10.2 mg/container  
5.1 mg/serving  
**Total THC**

**0.003%**  
10.4 mg/container  
5.2 mg/serving  
**Total CBD**

**0.006%**  
21.9 mg/container  
10.9 mg/serving  
**Total Cannabinoids**

## Cannabinoids

Date Tested: 01/03/2024

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBD	0.003	0.029	0.029	5.182	0.000
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBG	0.000	0.004	0.004	0.648	0.000
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.000
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.000
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.000
Δ9-THC	0.003	0.029	0.029	5.095	0.000
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.000
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.000

Method: HPLC  
Total THC = THCa \* 0.877 + Δ9-THC  
Total CBD = CBDa \* 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.  
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %  
LOQ = Limit of Quantitation

## Summary

**Pass**  
Microbials

4150 98th Ave S  
Fargo, ND  
(888) 897-4367  
www.hempinspection.com





John Schmidt  
Analytical Chemist



Confident Cannabis  
All Rights Reserved  
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

## 56 Brewing

3055 NE Columbia Ave Suite 102  
Minneapolis, MN 55418  
zak@56brewing.com  
(612) 720-0941

Sample: 2401AIT0004.0006

Strain: n/a  
Batch#: ; Batch Size: g  
Sample Received: 01/02/2024; Report Created: 01/08/2024

## Acre-25 PWT

Ingestible, Beverage



## Microbials

Pass

Date Tested: 01/08/2024

Analyte	Limit	Units	Status
Aerobic Bacteria	1	CFU/g	NT
Bile-Tolerant Gram-Negative Bacteria	1	NR	NT
Coliforms	1	NR	NT
E. Coli	1	Not Detected	Not Present
Salmonella	1	Not Detected	Not Present
Yeast & Mold	1000	<LOQ	Not Present

Method: qPCR



John Schmidt

Analytical Chemist