

56 Brewing

3055 NE Columbia Ave Suite 102
Minneapolis, MN 55418

(612) 720-0941

Sample: 2403AIT0333.0725


Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 03/26/2024; Report Created: 04/04/2024

PWT-31

Ingestible, Beverage



0.003%
Total THC

0.002%
Total CBD

0.005%
Total Cannabinoids

Cannabinoids

Date Tested: 03/27/2024

Analytes	%	mg/g	mg/ml	mg/serving	LOQ
CBC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBD	0.002	0.025	0.025	NaN	0.001
CBDa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBDV	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBG	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBGa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBL	<LOQ	<LOQ	<LOQ	<LOQ	0.001
CBN	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ8-THC	<LOQ	<LOQ	<LOQ	<LOQ	0.001
Δ9-THC	0.003	0.027	0.027	NaN	0.001
THCa	<LOQ	<LOQ	<LOQ	<LOQ	0.001
THCVa	<LOQ	<LOQ	<LOQ	<LOQ	0.001

Method: HPLC
Total THC = THCa * 0.877 + Δ9-THC
Total CBD = CBDa * 0.877 + CBD

Total Cannabinoids represents the sum of all cannabinoids in the table above.
Results are reported on a dry weight basis: Cannabinoid % / (1.0 - moisture content % / 100) = Dry weight cannabinoids %
LOQ = Limit of Quantitation

Summary

Pass
Microbials

4150 98th Ave S
Fargo, ND
(888) 897-4367
www.hempinspection.com




John Schmidt
Analytical Chemist



Confident LIMS
All Rights Reserved
(866) 506-5866

This product has been tested by Adams Independent Testing using valid testing methodologies. Values reported apply only to the product tested and only as the sample was received. Adams Independent Testing makes no claims as to the efficacy, safety, or other risks associated with any detected or nondetected level of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Adams Independent Testing. Test results that are Pass/Fail are reported using the Oregon Health Authority, Public Health Division - Chapter 333-007-0320, effective 1/1/2021. Results above the Limit will be considered Fail and will be in red. This is for informational purposes only and can be changed upon request. Measurement Uncertainty is not used for pass/fail conditions but available upon request.

56 Brewing

3055 NE Columbia Ave Suite 102
Minneapolis, MN 55418

(612) 720-0941

Sample: 2403AIT0333.0725

Strain: N/A

Batch#: ; Batch Size: g

Sample Received: 03/26/2024; Report Created: 04/04/2024

PWT-31

Ingestible, Beverage



Microbials

Pass

Date Tested: 03/27/2024

Analyte	Limit	Units	Status
Aerobic Bacteria	1	CFU/g	NT
Bile-Tolerant Gram-Negative Bacteria	1	NR	NT
Coliforms	1	NR	NT
E. Coli	1	Not Detected	Not Present
Salmonella	1	Not Detected	Not Present
Yeast & Mold	1000	600	Not Present

Method: qPCR



John Schmidt

Analytical Chemist